NOTE:
DIMENSIONS FOR CL OF JOIST
ARE ALSO CL OF EMBED PLATES
AS SHOWN.

NOTE TO STEEL ERECTOR:
ALL STRUCTURAL BOLTS TO BE FURNISHED
AS "TENSION CONTROL BOLTS" EXCEPT FOR
BOLTS FOR TEMPORARY ERECTION PURPOSES.
(A307 BOLTS FOR TEMPORARY ERECTION)

ALL MATERIAL
@ MECH. OPENINGS
W10x12's (UNO)
SEE 1/E-1

SECOND FLOOR FRAMING PLAN

RE: S2.0 SC:1/8"=1'-0"

PLAN NORTH

TYP TOP OF BEAM
(EL: 15-2) U.N.O.
@ W10x12's

ALL DIMS ARE CL TO CL OF BEAMS

PARTIAL 2ND FRAMING PLAN

PLAN NORTH 1 SC:1/4"=1'-0"

Structural Steel Services
REINFORCING STEEL ○ STRUCTURAL STEEL
EL PASO, TEXAS 915-857-3100

PROJECT :	UTEP BOOKSTORE
LOCATION :	EL PASO, TX
DRAWING :	SECOND FLOOR FRAMING PLAN
CUSTOMER :	URBAN ASSOCIATES, INC
ENGINEER :	ROBERT NAVARRO & ASSOCIATES

REV.	BY	DATE	DESCRIPTION
1	EV	5-5-08	ISSUED FOR FIELD USE PER APPROVER COMMENTS
2	EV	8-11-08	DIMENISIONS ADDED AS PER CONTRACTOR'S REQUESTS
3			

DRAWN BY : EV	JOB NO.	SHEET NO.
APPROVAL : 3-4-08	0801	E-1 2
SHOP :		
FIELD :		